



Commercial Oil Company of Hamilton Inc.

LUBRIKO®

TRANSDRAULIC FLUID

Description

Lubriko® Transdraulic Fluid is a multi-functional hydraulic fluid designed to lubricate the common sump hydraulic/transmission/final drive systems found in modern farm equipment.

Usage

Lubriko® Transdraulic Fluid is used to lubricate the transmission, differential and final drive gears. It will act as a power steering, power brake, power take-off and implement drive fluid. Friction modifiers provide smooth operation of clutch packs and wet brakes. Used consistently, this fluid will reduce maintenance costs and prolong equipment life.

Typical Properties

Flash Point COC °C		204
Pour Point °C		-38
Density @ 15°C, kg/L		.877
Kinematic Viscosity, cSt	@40°C	58.0
	@ 100°C	9.4
Viscosity Index		145.0
Colour (ASTM)		1.5
Rust Test, (ASTM D665) 24 Hrs. @ 60°C		
Distilled Water		Pass
Synthetic Sea Water		Pass
Corrosive-Copper Strip	3 hours @ 100°C	1

Performance Recommendations

John Deere JDM J20C and 20D, New Holland FNHA-2-C-201 (134-D), New Holland FNHA-2-C-200 (200"), Massey Ferguson M1141, M1135, M1143, White-New Idea Q1826GL-4, Caterpillar TO-2, Case MS-1204, 1206, 1207, 1209, 1210, Dennison, Deutz, Fiat-Hesston, Kubota UDT Fluid, Landidn, Oliver/White Q-1766B, Renk, Steiger, Versatile, Vickers, Volvo WB 101, Sauer Sunstrand, Sperry Vickers ASTM D-2882 and 35VQ25
Note: For Caterpillar TO-4 Fluids, please see Lubriko TO-4 Fluids.

Product Features

- Superior extreme pressure and antiwear properties
- Special basestock blend helps maintain seals and gaskets
- Excellent rust and corrosion protection
- Good filterability
- Long fluid life

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Commercial Oil Company's knowledge; however, the Commercial Oil Company makes no warranty whatsoever, expressed or implied, and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.

35 BURFORD ROAD, HAMILTON, ONTARIO, CANADA L8E 3C6
905-560-3244 • 1-800-463-1976 • FAX 905-560-2961 • www.commercialoil.ca