

Safety Data Sheet

Silicone Spray Lube

SECTION 1. IDENTIFICATION

Product Identifier Silicone Spray Lube

Part number TNDS8004
Product Family Silicone solution

Recommended Use Multi-purpose lubricant.

Restrictions on Use None known.

Manufacturer Shrader Canada Limited, 830 Progress Court, Oakville, ON, L6L 6K1, +1.905.847.0222,

www.shradercanada.com

Emergency Phone No. CANUTEC, +1.613.996.6666, Operation hours: 24/7

SDS No. TNDS8004

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable aerosol - Category 1; Gas under pressure - Compressed gas; Skin irritation - Category 2; Specific target organ toxicity (single exposure) - Category 3; Aspiration hazard - Category 1

Label Elements









Danger

Extremely flammable aerosol.

Pressurized container: may burst if heated.

Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing vapours, spray.

Wash hands and skin thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear protective gloves.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Product Identifier: Silicone Spray Lube

SDS No.: TNDS8004

Date of Preparation: January 04, 2016

Page 01 of 07

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F).

Store in a well-ventilated place.

Dispose of contents and container in accordance with local, regional, national and international regulations.

- % of the mixture consists of an ingredient or ingredients of unknown acute toxicity inhalation.
- % of the mixture consists of an ingredient or ingredients of unknown acute toxicity oral.
- % of the mixture consists of an ingredient or ingredients of unknown acute toxicity dermal.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Naphtha (petroleum), hydrotreated light	64742-49-0	40-70	
Petroleum gases, liquefied	68476-85-7	15-40	
Polydimethylsiloxane	63148-62-9	1-5	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. If breathing has stopped, trained personnel should begin rescue breathing. Immediately call a Poison Centre or doctor.

Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation or a rash occurs, get medical advice or attention.

Eve Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a Poison Centre or doctor.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Drink two glasses of water. Immediately call a Poison Centre or doctor.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide or dry chemical. Use water to keep non-leaking, fire-exposed containers cool.

Unsuitable Extinguishing Media

DO NOT use water or water-based extinguishing agents.

Specific Hazards Arising from the Product

Extremely flammable aerosol. Closed containers may rupture violently when heated releasing contents. Contains gas under pressure; may explode if heated. May accumulate in hazardous amounts in low-lying areas especially inside confined spaces, resulting in a fire hazard. May travel a considerable distance to a source of ignition and flash back to a leak or open container.

Very toxic carbon monoxide, carbon dioxide. and other unidentified organic compounds.

Special Protective Equipment and Precautions for Fire-fighters

Use extreme caution. Fight fire from a safe distance or a protected location.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective

Product Identifier: Silicone Spray Lube

SDS No.: TNDS8004 Page 02 of 07

Date of Preparation: January 04, 2016

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Eliminate all ignition sources. Use grounded, explosion-proof equipment. May accumulate in hazardous amounts in low-lying areas especially inside confined spaces, if ventilation is not sufficient. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Only use where there is adequate ventilation. It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Do not spray on an open flame or other ignition source. Do not pierce or burn container, even after use. Do not weld, cut or perform hot work on empty container until all traces of product have been removed. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Store at temperatures not exceeding: 40°C.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Safety glasses with side shields.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: neoprene rubber, nitrile rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Clear colourless Aerosol.

Odour Hydrocarbon
Odour Threshold Not available
pH Not applicable

Melting Point/Freezing Point Not available (melting)

Initial Boiling Point/Range Not available
Flash Point -8 °C (estimated)

Product Identifier: Silicone Spray Lube

SDS No.: TNDS8004 Page 03 of 07

Date of Preparation: January 04, 2016

Evaporation Rate Not available

Flammability (solid, gas) Flammable aerosol

Upper/Lower Flammability or

Explosive Limit

6.7% (upper); 1.5% (lower)

Vapour Pressure Not available

Vapour Density (air = 1) > 1

Relative Density (water = 1) 0.709 at 15 °C Solubility Negligible in water Not available

Partition Coefficient,

n-Octanol/Water (Log Kow)

204 °C

Auto-ignition Temperature Decomposition Temperature Not available

Viscosity < 14 centistokes at 40°C (kinematic)

Other Information

VOC % Not available

Flame projection < 100 cm will flashback

NFPA Classification Aerosol, level 3

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Increased risk of fire and explosion on contact with: strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide. and other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation.

Skin contact.

Eve contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Polydimethylsiloxane	> 11582 mg/m3 (rat) (4-hour exposure)	> 2000 mg/kg (rat)	> 2000 mg/kg (rat)
Naphtha (petroleum), hydrotreated light	Not available	5000 mg/kg	2000 mg/kg

96% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (inhalation)

Product Identifier: Silicone Spray Lube

TNDS8004 SDS No.:

Date of Preparation: January 04, 2016 Page 04 of 07

30% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral)

30% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal)

Skin Corrosion/Irritation

There is limited evidence of moderate or severe irritation.

Serious Eye Damage/Irritation

There is limited evidence of mild irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations may cause depression of the central nervous system. Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

Skin Absorption

No information was located.

Ingestion

If large amounts are swallowed can cause effects as described for inhalation. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Conclusions cannot be drawn from the limited studies available.

Respiratory and/or Skin Sensitization

No information was located for respiratory sensitization.

No information was located for skin sensitization.

Carcinogenicity

Chemical Name	ACGIH®	IARC	NTP	OSHA
Petroleum gases, liquefied	Not Listed	Not Listed	Not Listed	Not Listed

Reproductive Toxicity

Development of Offspring

May cause effects on the unborn child based on limited evidence.

No information was located for: Carcinogenicity, Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Empty containers retain product residue. Follow label warnings even if container appears to be empty. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container. Dispose of in accordance with municipal, provincial/state or federal regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1950	Aerosols	2.1	

Product Identifier: Silicone Spray Lube

SDS No.: TNDS8004

Date of Preparation: January 04, 2016

Page 05 of 07

IMDG (Marine)	UN1950	Aerosols	2.1	
IATA (Air)	UN1950	Aerosols, flammable	2.1	
US DOT	UN1950	Aerosols	2.1	

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Emergency Response 126 EmS F-D, S-U

Guide No.

Other Information ICAO/IATA PI Y203/203

Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are

met.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

CERCLA: Not applicable.

SARA Title III - Section 302: Not applicable. SARA Title III - Section 313: Not applicable. California Proposition 65: Not applicable. Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Petroleum gases, liquefied) Pennsylvania Right To Know. (Petroleum gases, liquefied)

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 2 Flammability - 3 Instability - 0

Based on Naphtha (petroleum), hydrotreated light

SDS Prepared By Regulatory Compliance

 Phone No.
 905.847.0222

 Date of Preparation
 January 04, 2016

Key to Abbreviations ACGIH® = American Conference of Governmental Hygienists

CANUTEC = Canadian Transport Emergency Centre

CAS = Chemical Abstract Service

CCOHS = Canadian Centre for Occupational Health & Safety

CNS = Central nervous system

GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer ICAO = International Civil Aviation Organization IMDG = International Maritime Dangerous Goods Code

LC = Lethal concentration

LC = Lethal dose

NFPA = National Fire Protection Association

NTP = National Toxicology Program

OSHA = US Occupational Safety and Health Administration

Page 06 of 07

Product Identifier: Silicone Spray Lube

SDS No.: TNDS8004

Date of Preparation: January 04, 2016

PPM = Parts per million

RTECS® = Registry of Toxic Effects of Chemical Substances

STEL = Short term exposure limit

TDG = Transportation of Dangerous Goods Regulations (Canada)

TWA = Time weighted average

References Material safety data sheet from manufacturer.

> CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for

Occupational Health and Safety (CCOHS).

Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc.

Available from Canadian Centre for Occupational Health and Safety (CCOHS). ECHA - European Chemical Agency, Classification and Labelling Inventory

GESTIS Substance Database

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

Disclaimer The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and

the manner and conditions of use and handling may involve other and additional

considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the

Page 07 of 07

use of or reliance on any information contained herein.

SDS No.: TNDS8004

Date of Preparation: January 04, 2016



Product Identifier: Silicone Spray Lube